

AIR HANDLERS



NEW PRODUCT OFFERING

SUPERIOR

REX

Continuing Excellence

Since the 1980s, Superior Rex has manufactured/sold an extensive range of fan coils and air handlers in the global marketplace. Built upon years of innovation, our products are designed to provide reliability, efficiency and longevity.

From modern production facilities in Largo, FL and Ft. Worth, TX, Superior Rex produces a wide range of high-quality units — including custom builds — that are relevant with national standards, vigorously tested, and labeled before being released for shipment. Products are offered with a one-year factory warranty.

We strive to meet the ever-changing needs of our customers and the air-distribution industry. Should you have any questions/comments, please do not hesitate to contact us or your local Superior Rex sales representative.

MODULAR AIR HANDLERS

SBM

Small air handlers, sometimes referred to as blower coils, are intended for common areas and large meeting rooms in hotels, condominiums, universities and hospitals. These products are natural companions to Superior Rex fan coils, yet air handlers supply greater airflow and coil capacity. With a wide variety of options and standard features, Superior Rex air handlers provide design flexibility with belt-driven fans, multi-row coil capability and various factory options.

SBM

Commercial Indoor Modular Air Handler

SBM design allows you to configure draw-thru applications in horizontal, vertical and footprint saving arrangements. The SBM sets the new standard for quality, flexibility and competitive pricing. This product is engineered to satisfy the most basic air-handling requirements.

Features and Benefits

- Modular construction allows footprint savings by stacking modules in two-high configuration
- Single wall and double wall-galvanized construction equipped with removable access panels/hinged doors for improved accessibility and serviceability
- Hot Water, Chilled Water, Steam, and Direct Expansion (DX) coils available
- Blow-thru electric heat with single point power connection
- Customized options including double-sloped IAQ galvanized drain pan, direct drive plenum fans, high-efficiency filters, double wall perforated lining, external face and bypass dampers, and inspection windows
- 600 - 10,000 CFM nominal airflows



05



SUPERIOR

REX

