BLOWER COILS



NEW PRODUCT OFFERING



SUPERIOR DE LA COMPANIA DEL COMPANIA DE LA COMPANIA DEL COMPANIA DE LA COMPANIA DEL COMPANIA DE LA COMPANIA DEL COMPANIA DE LA COMPANIA DEL COMPANIA DEL COMPANIA DE LA COMPANIA DEL COMPANIA DEL COMPANIA DE LA COMPANIA DE LA COMPANIA DE LA COMPANIA DE LA COMPANIA DEL C

Continuing Excellence

Since the 1980s, Superior Rex has manufactured/sold an extensive range of fan coils and air handlers in the global marketplace. Built upon years of innovation, our products are designed to provide reliability, efficiency and longevity.

From modern production facilities in Largo, FL and Ft. Worth, TX, Superior Rex produces a wide range of high-quality units — including custom builds — that are relevant with national standards, vigorously tested, and labeled before being released for shipment. Products are offered with a one-year factory warranty.

We strive to meet the ever-changing needs of our customers and the air-distribution industry. Should you have any questions/comments, please do not hesitate to contact us or your local Superior Rex sales representative.

BLOWER COILS — HORIZONTAL & VERTICAL BELT DRIVE SERIES

SBH

SBV

Superior Rex horizontal and vertical belt drive blower coils offer a wide range of application flexibility, while maintaining a simple, easy to install unit design. These units are intended to provide comfort cooling and heating within a small footprint. They may be applied in many types of building structures including schools, office buildings, hospitals, condominiums, assisted living facilities, apartments and stores. Applications can be constant or variable volume.

SSL

SBS



SBH

Horizontal Belt Drive Blower Coil

Superior Rex horizontal belt drive blower coils offer a wide range of application flexibility, while maintaining a simple, easy to install unit design. These units are intended to provide comfort cooling and heating within a small footprint. They may be applied in many types of building structures including schools, office buildings, hospitals, condominiums, assisted living facilities, apartments and stores. Applications can be constant or variable volume.



Features and Benefits

- Mixing boxes with standard low-leak dampers, high-efficiency filter sections for 2" prefilter and 4" final filter
- Fiberglass-insulated cabinets, main incoming-power disconnect (non-fused), fusing (main), magnetic contractors, and fan control package with heater interlock contacts
- Blow-through electric heat with single-point power connection
- Meets all N.E.C. requirements and is cETL listed in compliance with UL/ANSI Std. 1995
- Hot water, chilled water and direct expansion coils, steam, cold water/hot water changeover available for all models
- 800 4000 cfm nominal airflows





www.superiorrex.com





SBV

Vertical Belt Drive Blower Coil

Superior Rex vertical belt drive blower coils offer a wide range of application flexibility, while maintaining a simple, easy to install unit design. These units are intended to provide comfort cooling and heating within a small footprint. They may be applied in many types of building structures including schools, office buildings, hospitals, condominiums, assisted living facilities, apartments and stores. Applications can be constant or variable volume.

Features and Benefits

- Mixing boxes with standard low-leak dampers, high-efficiency filter sections for 2" prefilter and 4" final filter
- Fiberglass-insulated cabinets, main incoming-power disconnect (non-fused), fusing (main), magnetic contractors, and fan control package with heater interlock contacts
- Blow-through electric heat with single-point power connection
- Meets all N.E.C. requirements and is cETL listed in compliance with UL/ANSI Std. 1995
- Hot water, chilled water and direct expansion coils, steam, cold water/hot water changeover available for all models
- 800 4000 cfm nominal airflows







SSL

Vertical Reduced Footprint, Bottom Return Blower Coil

Superior Rex bottom return belt drive blower coils offer a wide range of application flexibility, while maintaining a simple, easy to install unit design. These units are intended to provide comfort cooling and heating with a small footprint. They may be applied in many types of building structures including schools, office buildings, hospitals, condominiums, assisted living facilities, apartments or stores. Applications can be constant or variable volume.

Features and Benefits

- Low-leak dampers with 2" filters
- Maximum flexibility for selection and installation where extreme space restrictions exist
- Blow-thru electric heat with single-point power connection
- Meets all N.E.C. requirements and is cETL listed in compliance with UL/ANSI Std. 1995
- Hot water, chilled water, steam, and direct expansion coils; cold water/hot water changeover available for all models
- Inherent flexibility of the fan and coil combination for sound-sensitive areas
- 800 3000 CFM nominal airflows









www.superiorrex.com





SBV

Vertical Belt Drive Blower Coil

Superior Rex vertical belt drive blower coils offer a wide range of application flexibility, while maintaining a simple, easy to install unit design. These units are intended to provide comfort cooling and heating within a small footprint. They may be applied in many types of building structures including schools, office buildings, hospitals, condominiums, assisted living facilities, apartments and stores. Applications can be constant or variable volume.

Features and Benefits

- Mixing boxes with standard low-leak dampers, high-efficiency filter sections for 2" prefilter and 4" final filter
- Fiberglass-insulated cabinets, main incoming-power disconnect (non-fused), fusing (main), magnetic contractors, and fan control package with heater interlock contacts
- Blow-through electric heat with single-point power connection
- Meets all N.E.C. requirements and is cETL listed in compliance with UL/ANSI Std. 1995
- Hot water, chilled water and direct expansion coils, steam, cold water/hot water changeover available for all models
- 800 4000 cfm nominal airflows





SUPERIOR BY A

